

# Software Product Description

---

**PRODUCT NAME: VSI Operating Environments for OpenVMS Version 8.4-1H1 for Integrity Servers**

**DO-VIBHAA-006**

This SPD describes the VSI Operating Environments for OpenVMS for Integrity Servers, including Operating Environment (OE) license bundles and revised media offerings.

## **Operating Environment License Bundles:**

VSI OpenVMS Version 8.4-1H1 features a two tier Operating Environment model consisting of Base Operating Environment (BOE) and High Availability Operating Environment (HA-OE).

- **Base Operating Environment (BOE)**

The BOE bundle includes the operating system, along with networking and infrastructure software.

- **High Availability Operating Environment (HA-OE)**

The HA-OE bundle includes all components of the BOE including Clusters, Availability Manager, RMS Journaling for OpenVMS, and Volume Shadowing for OpenVMS. HA-OE component products that are not included in the BOE can be ordered separately.

The Operating Environment media kits deliver the Operating System, the Operating Environment component products, and the Layered Products as follows:

- **Media and Online Documentation:**

The media offerings (updated quarterly as necessary) include the most recent revision of OE components, Layered Products Library, and Online Documentation Library.

- Operating Environment DVD (binaries)
- Layered Product Library CD (binaries)
- Online Documentation media for Operating Environments and Layered Products
- Operating Environment Update media (provided as needed for updating OE components)

- **Hardcopy Documentation:**

- *VSI OpenVMS License Management Utility Manual*
- *VSI OpenVMS Version 8.4-1H1 Guide to Media*
- *VSI OpenVMS Version 8.4-1H1 Cover Letter and Release Notes*
- *VSI OpenVMS Version 8.4-1H1 Installation and Upgrade Manual*

Table 1 lists the OE component products included with the VSI OpenVMS Operating Environments.

**Table 1**  
**OpenVMS Integrity Server Operating Environments**

<b>OpenVMS Integrity Server Operating Environments - Base Operating Environment</b>			
<b>OE Component</b>	<b>Version</b>	<b>HP SPD</b>	<b>VSI SPD</b>
OpenVMS for Integrity Servers Operating System	8.4-1H1	82.35	DO-VIBHAA-005
OpenVMS for Integrity Servers Operating System/Japanese	8.4	25.C4	pending
VSI Common Data Security Architecture (CDSA)	2.4-322A	82.35	pending
VSI Common Internet File System (CIFS)	1.2-ECO1A	82.42	pending
VSI DECnet-Plus for OpenVMS End System	8.4B	50.45	pending
VSI DECnet IV	8.4B	48.48	pending
VSI DECprint Supervisor (DCPS)	2.8	44.15	pending
VSI DECprint Supervisor/Japanese	2.7	48.27	pending
VSI DECwindows Motif	1.7C	42.19	pending
VSI DECwindows Motif/Japanese	1.7C	28.A8	pending
VSI Distributed Computing Environment (RT)	3.2A	43.05	pending
VSI HPBINARYCHECKER	1.1	82.35	pending
VSI Kerberos	3.2-256	82.35	pending
VSI LOGINPLUS	2A	82.35	pending
VSI Perl	5.2-2	82.35	pending
VSI Secure Sockets Layer (SSL)	1.4-503	80.58	pending
VSI TCP/IP Services for OpenVMS	5.7-13ECO05B	46.46	pending
VSI WBEM/CIM	2.9-9B100614	82.35	pending
VSI WBEM Providers	2.2-3A	82.35	pending
VSI Secure Web Server	2.2-1A	80.58	pending
VSI CSWS_Java (Tomcat)	7.0.29A	80.58	pending
VSI ANT (Another Neat Tool)	1.7-1B	80.58	pending
VSI AXIS2	1.1-1	80.58	pending
VSI UDDI Client Toolkit	1.0-B	80.58	pending
VSI Web Services Integration Toolkit (WSIT)	3.4-1	80.58	pending
XML C++ (Based on Apache Xerces-C 2.2.0 and Apache Xalan-C 1.5)	3.0-1	80.58	pending
<b>High Availability Operating Environment</b>			
VSI Availability Manager	3.1	82.35	pending
RMS Journaling for VSI OpenVMS	8.4-1H1	27.58	pending
Volume Shadowing for VSI OpenVMS	8.4-1H1	27.29	pending
VSI VMS Cluster Client	8.4-1H1	29.78	pending
VSI VMS Cluster Software	8.4-1H1	29.78	pending

For information about future additions, please refer to the VSI OpenVMS Roadmap at:  
<http://www.vmssoftware.com>

Also refer to the Software Public Rollout reports at:  
<http://h71000.www7.hp.com/openvms/os/swroll/index.html>

Please refer to individual HP SPDs for details about the OE components:  
<http://h71000.www7.hp.com/doc/spd.html>

## INSTALLATION

A subset of OE components can be factory installed, when purchased through HP. Products requiring customized installation are *not* included in factory installation. Binaries and online documentation for uninstalled OE components are provided with the system purchase. Please refer to the "Preinstalled Software Information Sheet" for a list of installed components. This information sheet is delivered with systems when factory installed software is requested.

Customers who are unfamiliar with the OE components can purchase Installation Services through HP Services. These services provide installation of the software product by an experienced HP software specialist.

## HARDWARE REQUIREMENT

For details about the hardware requirements, memory requirements, and disk space requirements, please consult the appropriate sections of the Operating System SPD and component product SPDs.

## SOFTWARE REQUIREMENTS

Unless otherwise noted, the OE components support VSI OpenVMS Version 8.4-1H1. Some components will also support prior OpenVMS versions. For details about software requirements for individual component products, please consult the *Software Requirements* sections of the component SPDs.

## GROWTH CONSIDERATIONS

The minimum hardware and software requirements for future versions of the VSI OpenVMS Integrity server OEs might be different from the requirements for the current version.

## SOFTWARE LICENSING

VSI OpenVMS OEs are offered with Per Socket licenses (PSLs) on HP Integrity i2 and i4 servers (BL8x0c i2 and i4 server blades and rx2800 i2 and i4 rackmount server). One PSL is required for each active physical socket in a system or hard partition. If additional processors are later added to the system or hard partition, each processor core or socket requires an additional PSL respectively.

An OE license grants the right to use all the components included in the specified OE.

For OEs on HP Integrity i2 and i4 servers, hardware tiers are defined:

- Maximum of 2 processor sockets (BL860c i2 and i4 and rx2800 i2 and i4 rackmount server)
- Maximum of 4 processor sockets (BL870c i2 and i4)
- Maximum of 8 processor sockets (BL890c i2 and i4)

**Note:** A socket is a receptacle for microprocessor modules. A single-microprocessor module may contain one or more processor cores.

Other licensing practices are as follows:

- User licenses are not required. The BOE license provides for unlimited OpenVMS users.
- Version update licenses are not available. Update services are available only through a Support Agreement.
- Trade-in allowances are offered as license "options" rather than as separate licenses.

For more information about VSI OpenVMS licensing terms and policies, contact your local VSI sales office.

**SOFTWARE MEDIA**

OE media kits include both DVD and CD media. Please see the *Description* section at the beginning of this SPD for a listing of contents, and the *Ordering Information* section for ordering details.

**SOFTWARE DOCUMENTATION**

Online documentation is included with all product binary offerings. Hardcopy documentation is available for most products. See the *Ordering Information* section for details.

**ORDERING INFORMATION****Ordering OE licenses**

Table 2 lists the licenses for each OE. One license is required for each active socket on HP Integrity i2 and i4 servers. The license type is PSL (Per Socket License) on HP Integrity i2 and i4 servers. LTU is License-to-Use.

**Table 2**  
**Operating Environment Software Licenses**

VSI Product Number <sup>1</sup>	HP Product Number <sup>2</sup>	Description
		<b>VSI OpenVMS Base Operating Environment LTU</b>
SL-VIB21P-H41		PSL VMS I64 BOE 2Skt/1C LTU
SL-VIB22P-H41		PSL VMS I64 BOE 2Skt/2C LTU
SL-VIB24P-H41		PSL VMS I64 BOE 2Skt/4C LTU
SL-VIB28P-H41	M1J87AC#828	PSL VMS I64 BOE 2Skt/8C LTU
SL-VIB41P-H41		PSL VMS I64 BOE 4Skt/1C LTU
SL-VIB42P-H41		PSL VMS I64 BOE 4Skt/2C LTU
SL-VIB44P-H41		PSL VMS I64 BOE 4Skt/4C LTU
SL-VIB48P-H41	M1J87AC#848	PSL VMS I64 BOE 4Skt/8C LTU
SL-VIB81P-H41		PSL VMS I64 BOE 8Skt/1C LTU
SL-VIB82P-H41		PSL VMS I64 BOE 8Skt/2C LTU
SL-VIB84P-H41		PSL VMS I64 BOE 8Skt/4C LTU
SL-VIB88P-H41	M1J87AC#888	PSL VMS I64 BOE 8Skt/8C LTU
		<b>VSI OpenVMS High Availability Operating Environment LTU</b>
SL-VIH21P-H41		PSL VMS I64 HA-OE 2Skt/1C LTU
SL-VIH22P-H41		PSL VMS I64 HA-OE 2Skt/2C LTU
SL-VIH24P-H41		PSL VMS I64 HA-OE 2Skt/4C LTU
SL-VIH28P-H41	M1J88AC#828	PSL VMS I64 HAOE 2Skt/8C LTU
SL-VIH41P-H41		PSL VMS I64 HA-OE 4Skt/1C LTU
SL-VIH42P-H41		PSL VMS I64 HA-OE 4Skt/2C LTU
SL-VIH44P-H41		PSL VMS I64 HA-OE 4Skt/4C LTU
SL-VIH48P-H41	M1J88AC#848	PSL VMS I64 HAOE 4Skt/8C LTU
SL-VIH81P-H41		PSL VMS I64 HA-OE 8Skt/1C LTU
SL-VIH82P-H41		PSL VMS I64 HA-OE 8Skt/2C LTU

<sup>1</sup> Specify this product number when ordering from VMS Software, Inc.

<sup>2</sup> Specify this product number when ordering from HP.

SL-VIH84P-H41		PSL VMS I64 HA-OE 8Skt/4C LTU
SL-VIH88P-H41	M1J88AC#888	PSL VMS I64 HAOE 8Skt/8C LTU

### Ordering OE License Upgrades

The Upgrade License is used when the Operating Environment is upgraded from a smaller OE to a larger OE on the same Integrity server.

The BOE to HA-OE License Upgrades deliver a license for HA-OE and the pricing gives credit for the previous purchase of the BOE.

Table 3 lists the OE (BOE/HA-OE) license upgrade options.

**Table 3**  
**OE (BOE/HA-OE) License Upgrade Options**

VSI Product Number <sup>3</sup>	HP Product Number <sup>4</sup>	Description
		<b>VSI V841H1 BOE to HAOE Upgrade</b>
SL-VIH21U-H41		VSI V841H1 BOE to HAOE Upg 2S/1C LTU
SL-VIH22U-H41		VSI V841H1 BOE to HAOE Upg 2S/2C LTU
SL-VIH24U-H41		VSI V841H1 BOE to HAOE Upg 2S/4C LTU
SL-VIH28U-H41	M1J89AC#828	VSI V841H1 BOE to HAOE Upg 2S/8C LTU
SL-VIH41U-H41		VSI V841H1 BOE to HAOE Upg 4S/1C LTU
SL-VIH42U-H41		VSI V841H1 BOE to HAOE Upg 4S/2C LTU
SL-VIH44U-H41		VSI V841H1 BOE to HAOE Upg 4S/4C LTU
SL-VIH48U-H41	M1J89AC#848	VSI V841H1 BOE to HAOE Upg 4S/8C LTU
SL-VIH81U-H41		VSI V841H1 BOE to HAOE Upg 8S/1C LTU
SL-VIH82U-H41		VSI V841H1 BOE to HAOE Upg 8S/2C LTU
SL-VIH84U-H41		VSI V841H1 BOE to HAOE Upg 8S/4C LTU
SL-VIH88U-H41	M1J89AC#888	VSI V841H1 BOE to HAOE Upg 8S/8C LTU

### Ordering OE License Trade-ins

The Trade-in policy provides software investment protection when the customer is moving to an HP Integrity i2 server or i4 server. To be eligible for credit, the licenses being traded-in must be on a valid support agreement.

The old software must be equivalent in function to the new software. The credit allowed cannot exceed 50% of the purchase price of the target license.

#### Process:

1. The customer orders the new OE license.
2. The customer provides proof of license and proof of support to the field rep.
3. The field calculates credit and applies it to the order.
4. License keys for the old system should be deleted at least 90 days after the new licenses/new system delivery.

<sup>3</sup> Specify this product number when ordering from VMS Software, Inc.

<sup>4</sup> Specify this product number when ordering from HP.

Table 4

OE License Trade-ins lists the OE license trade-ins.

**Table 4**  
**OE License Trade-ins**

VSI Product Number <sup>5</sup>	HP Product Number <sup>6</sup>	Description
		<b>VSI OpenVMS BOE Trade-in</b>
SL-VIB21T-H41		VSI OpenVMS BOE Trade-in LTU PSL VMS I64 BOE 2Skt/1C Trade-in LTU
SL-VIB22T-H41		VSI OpenVMS BOE Trade-in LTU PSL VMS I64 BOE 2Skt/2C Trade-in LTU
SL-VIB24T-H41		VSI OpenVMS BOE Trade-in LTU PSL VMS I64 BOE 2Skt/4C Trade-in LTU
SL-VIB28T-H41	M1J87ACN#828	VSI OpenVMS BOE Trade-in LTU PSL VMS I64 BOE 2Skt/8C Trade-in LTU
SL-VIB41T-H41		VSI OpenVMS BOE Trade-in LTU PSL VMS I64 BOE 4Skt/1C Trade-in LTU
SL-VIB42T-H41		VSI OpenVMS BOE Trade-in LTU PSL VMS I64 BOE 4Skt/2C Trade-in LTU
SL-VIB44T-H41		VSI OpenVMS BOE Trade-in LTU PSL VMS I64 BOE 4Skt/4C Trade-in LTU
SL-VIB48T-H41	M1J87ACN#848	VSI OpenVMS BOE Trade-in LTU PSL VMS I64 BOE 4Skt/8C Trade-in LTU
SL-VIB81T-H41		VSI OpenVMS BOE Trade-in LTU PSL VMS I64 BOE 8Skt/1C Trade-in LTU
SL-VIB82T-H41		VSI OpenVMS BOE Trade-in LTU PSL VMS I64 BOE 8Skt/2C Trade-in LTU
SL-VIB84T-H41		VSI OpenVMS BOE Trade-in LTU PSL VMS I64 BOE 8Skt/4C Trade-in LTU
SL-VIB88T-H41	M1J87ACN#888	VSI OpenVMS BOE Trade-in LTU PSL VMS I64 BOE 8Skt/8C Trade-in LTU
		<b>VSI OpenVMS High Availability Trade-in</b>
SL-VIH21T-H41		VSI OpenVMS HAOE Trade-in LTU PSL VMS I64 HA-OE 2Skt/1C Trade-in LTU
SL-VIH22T-H41		VSI OpenVMS HAOE Trade-in LTU PSL VMS I64 HA-OE 2Skt/2C Trade-in LTU
SL-VIH24T-H41		VSI OpenVMS HAOE Trade-in LTU PSL VMS I64 HA-OE 2Skt/4C Trade-in LTU
SL-VIH28T-H41	M1J88ACN#828	VSI OpenVMS HAOE Trade-in LTU PSL VMS I64 HA-OE 2Skt/8C Trade-in LTU
SL-VIH41T-H41		VSI OpenVMS HAOE Trade-in LTU PSL VMS I64 HA-OE 4Skt/1C Trade-in LTU
SL-VIH42T-H41		VSI OpenVMS HAOE Trade-in LTU PSL VMS I64 HA-OE 4Skt/2C Trade-in LTU
SL-VIH44T-H41		VSI OpenVMS HAOE Trade-in LTU PSL VMS I64 HA-OE 4Skt/4C Trade-in LTU
SL-VIH48T-H41	M1J88ACN#848	VSI OpenVMS HAOE Trade-in LTU PSL VMS I64 HA-OE 4Skt/8C Trade-in LTU
SL-VIH81T-H41		VSI OpenVMS HAOE Trade-in LTU PSL VMS I64 HA-OE 8Skt/1C Trade-in LTU
SL-VIH82T-H41		VSI OpenVMS HAOE Trade-in LTU PSL VMS I64 HA-OE 8Skt/2C Trade-in LTU
SL-VIH84T-H41		VSI OpenVMS HAOE Trade-in LTU PSL VMS I64 HA-OE 8Skt/4C Trade-in LTU
SL-VIH88T-H41	M1J88ACN#888	VSI OpenVMS HAOE Trade-in LTU PSL VMS I64 HA-OE 8Skt/8C Trade-in LTU

### Ordering OE Media and Media Options

Media is offered for Base and High Availability Operating Environments. Purchase of an OE media product requires purchase of a corresponding OE license on the same order.

<sup>5</sup> Specify this product number when ordering from VMS Software, Inc.

<sup>6</sup> Specify this product number when ordering from HP.

Table 5

OpenVMS Integrity Server Media Offerings and Options lists the media offerings available, along with their corresponding option numbers.

**Table 5**  
**OpenVMS Integrity Server Media Offerings and Options**

Description	Media Option
VSI OpenVMS I64 OE	M1J86AA
VSI OpenVMS Version 8.4-1H1 for Integrity Servers	#A59
DVD Media	#AJR
Factory Installation	#0D1 <sup>7</sup>

Each media order must include the OE version option. Please specify option #A59 for VSI OpenVMS Version 8.4-1H1.

For each media order, one of the following must be ordered:

- DVD Media (option #AJR)
- Factory Installation (option #0D1; available through HP only)<sup>7</sup>
- DVD Media and Factory Installation (options #AJR and #0D1)

The purchase of at least one DVD Media option per customer site is strongly advised, because not all items in the DVD Media are included in the Factory Installation.

Product update media are delivered through a Support Agreement.

**Ordering OE Components Sold Separately**

The OE component products listed in Table 5 Operating Environment Components Sold Separately can be ordered separately. The license or LTU product number is for the individual OE component license. The initial delivery of product binaries for any OE component is through the purchase of an OE Media Kit. Where the media product number is shown as "SIP", the product is a System Integrated Product and is included on the Operating System media. It is not necessary to order separate media delivery for SIPs. Where the media product number is shown in the table, it must be ordered when Software Updates Service is planned.

**Table 5 Operating Environment Components Sold Separately**

VSI Product Number <sup>8</sup>	HP Product Number <sup>9</sup>	Description
SL-LIAM1P-30V		VSI Availability Manager PSL 1 Core 1 P-LTU
SL-LIAM2P-30V		VSI Availability Manager PSL 2 Core 2 P-LTU
SL-LIAM4P-30V		VSI Availability Manager PSL 4 Core 4 P-LTU
SL-LIAM8P-30V	M8S94BC#888	VSI Availability Manager PSL 8 Core 8 P-LTU
SIP	SIP	VSI Availability Manager Media
SL-LICL1P-84V		VSI Cluster Client PSL 1 Core Server 1 P-LTU units

<sup>7</sup> For VSI OpenVMS Version 8.4-1H1, the 0D1 factory installation (FIS) is not available for HP Integrity i2 Servers.

<sup>8</sup> Specify this product number when ordering from VMS Software, Inc

<sup>9</sup> Specify this product number when ordering from HP.

SL-LICL2P-84V		VSI Cluster Client PSL 1 Core Server 2 P-LTU units
SL-LICL4P-84V		VSI Cluster Client PSL 1 Core Server 4 P-LTU units
SL-LICL8P-84V	M8S91BC#888	VSI Cluster Client PSL 8 Core Server 8 P-LTU units
SIP	SIP	VSI Cluster Client Media
SL-LIVC1P-84V		VSI Clusters PSL 1 Core 1 P-LTU
SL-LIVC2P-84V		VSI Clusters PSL 2 Core 2 P-LTU
SL-LIVC4P-84V		VSI Clusters PSL 4 Core 4 P-LTU
SL-LIVC8P-84V	M8S92BC#888	VSI Clusters PSL 8 Core 8 P-LTU
SIP	SIP	VSI Clusters Media
SW-LIDN1P-84V		VSI Dnet-Plus Ext Funct PSL 1 Core Server 1 P-LTU units
SW-LIDN2P-84V		VSI Dnet-Plus Ext Funct PSL 2 Core Server 2 P-LTU units
SW-LIDN4P-84V		VSI Dnet-Plus Ext Funct PSL 4 Core Server 4 P-LTU units
SW-LIDN8P-84V	M9S82BC#888	VSI Dnet-Plus Ext Funct PSL 8 Core Server 8 P-LTU units
SIP	SIP	VSI Dnet-Plus Ext Funct Media
SL-LIRJ1P-82V		VSI RMS Journaling PSL 1 Core Server 1 P-LTU units
SL-LIRJ2P-82V		VSI RMS Journaling PSL 2 Core Server 2 P-LTU units
SL-LIRJ4P-82V		VSI RMS Journaling PSL 4 Core Server 4 P-LTU units
SL-LIRJ8P-82V	M8S90BC#888	VSI RMS Journaling PSL 8 Core Server 8 P-LTU units
SIP	SIP	VSI RMS Journaling Media
SL-LIVS1P-84V		VSI Volume Shadowing PSL 1 Core 1 P-LTU
SL-LIVS2P-84V		VSI Volume Shadowing PSL 2 Core 2 P-LTU
SL-LIVS4P-84V		VSI Volume Shadowing PSL 4 Core 4 P-LTU
SL-LIVS8P-84V	M8S93BC#888	VSI Volume Shadowing PSL 8 Core 8 P-LTU
SIP	SIP	VSI Volume Shadowing Media

### Trade-in Policy

License trade-ins are available for OpenVMS Integrity server Operating Environments. VSI sales representatives verify Proof of License, determine how many credits the customer is entitled to receive, and add Trade-in Credits and Support to the order.

### SOFTWARE PRODUCT SERVICES

Software services are provided to the OEs as follows:

**Base Operating Environment (BOE)** - All components listed in the BOE are supported under one BOE service contract. Components of the BOE cannot be purchased or supported independently.

**High Availability Operating Environment (HA-OE)** - The HA-OE is sold and supported at the package level, and the additional HA-OE component products are available for sale or service at an individual level.

A variety of service options are available from VSI. For more information, contact your local VSI account representative or distributor. Information is also available at the following website: <http://vmssoftware.com/services>

### SOFTWARE WARRANTY

This software is provided by VSI with a 90-day conformance warranty in accordance with the VSI warranty terms applicable to the license purchase.

Copyright © 2015 VMS Software, Inc., Bolton Massachusetts, USA

Confidential computer software. Valid license from VSI required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

The information contained herein is subject to change without notice. The only warranties for VSI products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. VSI shall not be liable for technical or editorial errors or omissions contained herein.

Motif is a registered trademark of The Open Group.

Java is a registered trademark of Oracle and/or its affiliates.