

# Software Product Description

PRODUCT NAME: HP NAS Client 150 Version 8.3C for OpenVMS VAX Workstations

SPD 62.99.12

# **DESCRIPTION**

HP NAS Client 150 Version 8.3C for OpenVMS™ VAX™ Workstations is a member of the NAS Client/Server Packages family. Each NAS package is a software product providing a license for the NAS product and documentation.

HP NAS Client 150 Version 8.3C consists of a set of components that provide a basic client environment for distributed network applications on OpenVMS VAX workstations. These components, along with the operating system, provide uniform services that enable applications to be distributed in heterogeneous client/server environments.

The NAS Version 8.3C release documents revisions to component products since the previous NAS release. NAS 8.3B supports HP OpenVMS Operating System Version 7.3

Use of the components of HP NAS Client 150 Version 8.3C requires a license for HP NAS Client 150 Version

8.3C in combination with the OpenVMS VAX Operating System.

The version of each NAS component licensed, is as stated within the OpenVMS VAX Software Products Library of the calendar quarter in which the NAS PAK is dated. Update licenses may be purchased for use of later versions of any component.

Table 1 lists the components included in HP NAS Client 150 for OpenVMS VAX and summarizes license and media information for each component. Special cases are covered by footnotes.

The License (L) column indicates whether or not the customer's HP NAS Client 150 for OpenVMS VAX license includes the right to run each component product.

The Media (M) column indicates whether or not the binaries are provided on the OpenVMS VAX Software Products Library CD–ROMs. Over time, some kits may be retired. Check the current Software Product Library index for availability.

Table 1
Components in HP NAS Client 150

NAS Component	Version	SPD number	L	M	
Prese	entation Services				
DECwindows™ Motif® for OpenVMS VAX	1.2-6	42.19.xx	Υ	Υ	

# Table 1 (Cont.) Components in HP NAS Client 150

# **Network Transport**

7.3 7.3 5.3	25.03.xx 42.25.xx 46.46.xx	Y Y	Y N <sup>1</sup> Y	
g System Specifi	С			
7.3	42.18.xx	Υ	N <sup>1</sup>	
- !	7.3 5.3 g System Specifi	7.3 42.25.xx 5.3 46.46.xx g System Specific	7.3 42.25.xx Y 5.3 46.46.xx Y	7.3 42.25.xx Y N <sup>1</sup> 5.3 46.46.xx Y Y  g System Specific

 $<sup>^{1}\</sup>mathrm{The}$  media for this product is provided with the OpenVMS VAX operating system.

#### **COMPONENTS**

Each component of HP NAS Client 150 for OpenVMS VAX Workstations is a product independently offered by HP. Complete descriptions of the functional content of these components can be found in the SPD for each product.

The OpenVMS VAX Software Products Library Binaries disc contains a NAS\_CLIENT\_150 directory. There are two subdirectories: a KIT directory for the product binaries, and a DOCUMENTATION directory containing PostScript® and ASCII versions of installation guides, SPDs, and similar documentation. The KIT directory is not used.

You may print the electronic documentation accompanying the HP NAS Packages as reasonably necessary to exercise your license to use HP NAS packages.

The license for NAS Version 8.3C does not provide the right to use any version of the following components:

- DECmessageQ<sup>™</sup> for OpenVMS VAX Run-Time Only Option
- DECwindows Motif for OpenVMS Local Language Variants:
  - UI/Cesky
  - UI/Deutsch
  - UI/Español
  - UI/Français
  - Ul/Italiano
  - UI/Magyar
  - UI/Polski
  - UI/Slovensky
  - UI/Svenska
- ObjectBroker<sup>™</sup> for OpenVMS VAX Run-Time Only

# The NAS Version 8.3C license is effective as of April 2005.

ObjectBroker is available from BEA Systems, Inc. BEA MessageQ (formerly DECmessageQ) is available from BEA Systems, and may be purchased and serviced through HP.

The DECwindows Motif local language versions listed above have been retired.

### **INSTALLATION**

HP recommends that customers unfamiliar with the components of HP NAS Client 150 for OpenVMS VAX Workstations purchase HP Installation Services. These services provide for installation of the software product by an experienced HP Software Specialist.

Only software kits expressly identified in this SPD can be used to install components of HP NAS Client 150 for OpenVMS VAX Workstations. Use of other software kits may result in inoperable software configurations and may invalidate the software product warranty or software service contract.

#### HARDWARE REQUIREMENTS

The HP NAS Client 150 supports all valid OpenVMS VAX workstations. For questions about the hardware requirements for individual component products, customers should consult the *HARDWARE REQUIRE-MENTS* section of individual component SPDs.

# Memory Requirements

The minimum supported memory for installation of HP NAS Client 150 for OpenVMS VAX Workstations, with all components and subcomponents installed is 32 MB.

The performance and memory usage of HP NAS Client 150 for OpenVMS VAX and applications based on it are particularly sensitive to system configuration. Full configuration of all subcomponents may require memory in excess of the minimum quoted above. Additional memory may also be required based on system loading and usage patterns of the components.

More or less memory may be required depending on whether clients and servers execute on the same system or on different systems. Additional memory may also improve performance of one or more components.

Refer to the component SPDs and installation guides for detailed information about memory usage by components and subcomponents of the HP NAS Client 150 for OpenVMS VAX.

# Disk Space Requirements

When installing the complete set of components of HP NAS Client 150 for OpenVMS VAX, customers must have a minimum of 260 MB of disk space available.

This count refers to the disk space required on the system disk. The sizes are approximate; actual sizes may vary depending on the customer's system environment, configuration, and software options. For example, actual disk space required may be less if the customer does not install some components or subcomponents. Customers may require additional disk space to create or expand component databases or to create user files.

# SOFTWARE REQUIREMENTS

HP NAS Packages, Version 8.3C run on the following version of the OpenVMS operating system: OpenVMS VAX Version 7.3.

See the HP NAS Installation Guide, Appendix D, NAS/Operating System Compatibility Matrix for a list of NAS component versions supporting other Operating System versions.

#### **GROWTH CONSIDERATIONS**

The minimum hardware/software requirements for any future version of this product may be different from the requirements for the current version.

### **ORDERING INFORMATION**

HP NAS Client 150

Software Licenses: QL-36PA\*-\*\*

NAS 150 to 250 Upgrade License: QL-37N\*-\*\* Software Product Services: QT-36PA\*-\*\*

\* Denotes variant fields. For additional information on available licenses, services, and media, refer to the appropriate price book.

# **DISTRIBUTION MEDIA**

Media and documentation for this product are distributed on the OpenVMS VAX Software Products Library Package with order numbers as follows:

- QA-4KL8A-A8 (binaries) OpenVMS Alpha Software Products Library
- QA-4KM8A-G8 (online docs) OpenVMS Alpha Online Documentation Library
- QA-03XAA-H8 (binaries and docs) OpenVMS Alpha Software Library Package

### Online Documentation

Customers can view documentation on the Online Documentation Library CD-ROMs, provided for both Open-VMS and Windows environments.

# Hardcopy Documentation

Each component of HP NAS Client 150 for OpenVMS VAX Workstations has its own hardcopy documentation set. Customers can order documentation in single copies or as subscriptions.

For order numbers, see the *ORDERING INFORMA-TION* section in each component's SPD. Not all documentation is available in online format.

# **SOFTWARE LICENSING**

HP NAS Packages software is furnished under the licensing provisions of HP's Standard Terms and Conditions. For more information about HP's licensing terms and policies, contact your local HP office, or visit the Software Licensing InfoCenter on the World Wide Web at:

http://h18000.www1.hp.com/products/software/info/terms/swl\_sld.html

Consult the SPD for each HP NAS Packages component for specific license information.

# **SOFTWARE PRODUCT SERVICES**

A variety of service options are available from HP. For more information, contact your local HP office.

# **SOFTWARE WARRANTY**

This software is provided by HP with a 90 day conformance warranty in accordance with the HP warranty terms applicable to the license purchase.

©2005 Hewlett-Packard Development Company, L.P.

The following are third-party trademarks:

Macintosh is a registered trademark of Apple Computer, Inc.

Motif is a trademark of the Open Group.

ORACLE is a registered trademark of Oracle Corporation.

 $\ensuremath{\mathsf{OSI}}$  is a registered trademark of CA Management, Inc.

POSIX is a registered certification mark of the Institute of Electrical and Electronic Engineers.

PostScript is a registered trademark of Adobe Systems, Incorporated.

All other product names mentioned herein may be trademarks or registered trademarks of their respective companies.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Proprietary computer software. Valid license from HP required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.